



SZ STRONG BUILD

BUILDING MATERIALS CATALOG

CHINA QUALITY BUILDING MATERIALS

Factory-Direct Manufacturing From China

WALL | CEILING | FLOORING

OEM | PROJECT SUPPLY | EXPORT COORDINATION



BUILDING MATERIALS. BUILT ON RELIABLE SUPPLY.

SZStrong Building Materials is a China-based manufacturer and factory-direct export supplier of architectural and decorative building materials. Our factory coordinates product development, material selection, specification confirmation, OEM production, quality inspection, packaging and export delivery for distributors, contractors and project buyers serving the Middle East, Africa, Europe and the Americas. Our portfolio covers wall decoration, ceiling systems and flooring solutions. With organized production workshops, material storage, finished-goods warehousing and export packing resources, SZStrong supports overseas buyers from sample approval through bulk manufacturing and delivery. Product performance, certifications and packing data are confirmed by selected model before quotation.

OUR PRODUCT PORTFOLIO

- WALL DECORATION SOLUTIONS
- CEILING SYSTEM SOLUTIONS
- FLOORING SOLUTIONS

FACTORY

DIRECT SUPPLY

FLEXIBLE

OEM SERVICE

EXPORT

EXPERIENCE

ONE-STOP

PROJECT SUPPORT

COMPETITIVE

WHOLESALE VALUE

FACTORY & PRODUCTION CAPABILITY

Factory production, organized storage and project-ready export supply.



FACTORY EXTERIOR




WAREHOUSE OVERVIEW



PRODUCTION WORKSHOP



PANEL STORAGE



FINISHED PANEL STOCK



FACTORY FLOOR OVERVIEW

PRODUCT CATEGORIES & PAGE INDEX

Each product category is listed on a separate line for quick mobile navigation.

01	WALL DECORATION SOLUTIONS	P.05-29	Decorative Wall Panels	P.06-09
			Wall Protection & Functional Panels	P.10-11
			Slat & Acoustic Wall Panels	P.12-21
			Wall Coverings, Stone & Mosaic	P.22-29
02	CEILING SYSTEM SOLUTIONS	P.30-32	Aluminum Clip-in Ceiling Panels	P.31
			Aluminum Honeycomb Panels	P.32
03	FLOORING SOLUTIONS	P.33-34	Self-Adhesive Floor Coverings	P.34

Product series are organized by primary installation area. New-product specifications remain subject to selected-model confirmation.

01

WALL DECORATION SOLUTIONS



WALL DECORATION SOLUTIONS

ARCHITECTURAL SURFACES
FOR COMMERCIAL INTERIORS

— DECORATIVE WALL PANELS

— WALL PROTECTION &
FUNCTIONAL PANELS

— SLAT & ACOUSTIC
WALL PANELS

— WALL COVERINGS,
STONE & MOSAIC

NEXT PRODUCT

→ **CARBON CRYSTAL WALL PANEL**

SZ-DW001

MODEL
SZ-DW001

CARBON CRYSTAL WALL PANEL



PRODUCT PARAMETERS	PRODUCT DATA
Product Material	Co-extruded black core
Product Size	5/7/8/12/15/18 mm (T) x 1220 mm (W) x 2440/2600/2800 mm (L); customizable
Installation Method	Adhesive and trims; confirm wall substrate
Product Features	Co-extruded black core; Wide-format wall coverage; Custom decorative finishes; Specification confirmation support

MODEL
SZ-DW002

SPC WALL PANEL



PRODUCT PARAMETERS

PRODUCT DATA

Product Material

SPC base + decorative film + wear layer

Product Size

4 mm (T) x 1220/1600 mm (W) x 2800 mm (L); customizable

Installation Method

Adhesive system with edge and joint profiles

Product Features

Layered SPC construction; Two wide-format options; Protective wear layer; Custom pattern selection; Efficient project coverage

MODEL
SZ-DW003

UV DECORATIVE WALL PANEL



PRODUCT PARAMETERS	PRODUCT DATA
Product Material	Decorative substrate with UV-cured surface
Product Size	2/3 mm (T) x 1220 mm (W) x 2440/2800/2900 mm (L)
Installation Method	Adhesive or mechanical fixing; confirm substrate and edge treatment
Product Features	UV-cured decorative surface; Large-format wall coverage; Project finish selection; Sample-based specification

MODEL
SZ-DW004

METAL COMPOSITE WALL PANEL



PRODUCT PARAMETERS	PRODUCT DATA
Product Material	Aluminum-magnesium or magnesium decorative composite board
Product Size	4 mm (T) x 1220 mm (W) x 2440/3050 mm (L); customizable
Installation Method	Mechanical or adhesive system by project detail
Product Features	Architectural metal appearance; Large-format modules; Custom length review; OEM finish coordination

MODEL
SZ-DW005

IMPACT-RESISTANT WALL PANEL



PRODUCT PARAMETERS	PRODUCT DATA
Product Material	Bamboo crystal or bamboo-charcoal board
Product Size	8 mm (T) x 1220 mm (W) x 2440/2600/2800 mm (L); customizable
Installation Method	Adhesive and mechanical support as required
Product Features	Designed for high-traffic areas with stronger impact resistance than standard decorative panels; impact, abrasion and cleaning grades subject to model-specific test reports

MODEL
SZ-DW006

FIRE-RESISTANT DECORATIVE BOARD



PRODUCT PARAMETERS	PRODUCT DATA
Product Material	Magnesium oxide board or calcium silicate board
Product Size	6/8 mm (T) x 1220 mm (W) x 2440/3050 mm (L)
Installation Method	Adhesive or mechanical fixing; system by substrate
Product Features	Mineral board substrate; Large-format installation; Decorative surface choices; Report-based fire specification

MODEL
SZ-DW007

CURVED WALL PANEL



PRODUCT PARAMETERS	PRODUCT DATA
Product Material	Hollow decorative wall panel
Product Size	Pending approved size document
Installation Method	Adhesive or concealed fixing with coordinated tongue-and-groove joints
Product Features	Subtle curved surface; Lightweight hollow construction; Interlocking edge profile; Custom length service

MODEL
SZ-DW008

WPC FLUTED WALL PANEL



PRODUCT PARAMETERS	PRODUCT DATA
Product Material	WPC decorative panel
Product Size	17 x 150 mm; 22/23/24 x 160 mm; 20 x 200 mm (T x W)
Installation Method	Clips, battens or adhesive by selected profile
Product Features	Multiple section sizes; Linear architectural texture; Custom length service; Coordinated trims and accessories; OEM color selection

MODEL
SZ-DW009


SOLID FLUTED WALL PANEL



PRODUCT PARAMETERS	PRODUCT DATA
Product Material	Solid decorative fluted panel
Product Size	7.5/8.5/13 mm (T) x 145 mm (W)
Installation Method	Adhesive or concealed mechanical fixing
Product Features	Solid profile construction; Vertical or horizontal layouts; Custom length service; Custom finish coordination

MODEL
SZ-DW010


WPC GREAT WALL PANEL



PRODUCT PARAMETERS	PRODUCT DATA
Product Material	WPC decorative profile
Product Size	9 mm (T) x 150 mm (W); 12/14/26 mm (T) x 195 mm (W)
Installation Method	Clips, battens or adhesive by wall condition
Product Features	3D wall profile; Four depth options; Feature-wall applications; Export project coordination

MODEL
SZ-DW011

DECORATIVE SHAPED FLUTED PANEL



PRODUCT PARAMETERS	PRODUCT DATA
Product Material	Decorative profile panel
Product Size	14 mm (T) x 159 mm (W)
Installation Method	Profile-specific clips, adhesive or battens
Product Features	Distinctive shaped geometry; Architectural shadow lines; Custom length options; OEM finish coordination

MODEL
SZ-DW012

HALF-ROUND FLUTED WALL PANEL



PRODUCT PARAMETERS	PRODUCT DATA
Product Material	Decorative profiled panel
Product Size	15 mm (T) x 150 mm (W)
Installation Method	Use profile-specific clips, adhesive or battens according to the approved section drawing
Product Features	Half-round profile geometry; Soft three-dimensional wall rhythm

MODEL
SZ-DW013

INNER-ARC FLUTED WALL PANEL



PRODUCT PARAMETERS	PRODUCT DATA
Product Material	Decorative profiled panel
Product Size	12 mm (T) x 200 mm (W)
Installation Method	Use profile-specific clips, adhesive or battens according to the approved section drawing
Product Features	Recessed inner-arc profile; Broad three-dimensional wall rhythm

MODEL
SZ-DW014

IRREGULAR FLUTED WALL PANEL



PRODUCT PARAMETERS	PRODUCT DATA
Product Material	Decorative profiled panel
Product Size	15 mm (T) x 180 mm (W)
Installation Method	Use profile-specific clips, adhesive or battens according to the approved section drawing
Product Features	Asymmetric profile geometry; Feature-wall application; Sample-based specification

MODEL
SZ-DW015

TRIPLE-WAVE WALL PANEL



PRODUCT PARAMETERS	PRODUCT DATA
Product Material	Decorative profiled panel
Product Size	9 mm (T) x 209 mm (W)
Installation Method	Use profile-specific clips, adhesive or battens according to the approved section drawing
Product Features	Three-wave profile; Three-dimensional wall effect; Project finish selection

MODEL
SZ-DW016

REINFORCED / SOLID ACOUSTIC PANEL



PRODUCT PARAMETERS

PRODUCT DATA

Product Material	Reinforced or solid acoustic-panel construction
Product Size	12 mm (T) x 220 mm (W)
Installation Method	Adhesive or batten fixing; cavity by acoustic design
Product Features	Reinforced or solid options; Modular wall rhythm; Custom length coordination; Acoustic data by tested model

MODEL
SZ-DW017

GOLD FOIL WALL STICKER



PRODUCT PARAMETERS	PRODUCT DATA
Product Material	Self-adhesive decorative wall covering with gold-foil effect
Product Size	1200 x 3000 mm
Installation Method	Apply to a clean, dry and flat wall; confirm primer and edge treatment
Product Features	Gold-accented decorative finish; Peel-and-stick application; Interior feature-wall use

MODEL
SZ-DW018

MARBLE PATTERN WALL STICKER



PRODUCT PARAMETERS	PRODUCT DATA
Product Material	Self-adhesive decorative wall covering with marble pattern
Product Size	1200 x 3000 mm
Installation Method	Apply to a clean, dry and flat wall; align pattern and confirm edge treatment
Product Features	Marble-look surface; Peel-and-stick application; Pattern selection

MODEL
SZ-DW019

WOOD GRAIN WALL STICKER



PRODUCT PARAMETERS

PRODUCT DATA

Product Material	Self-adhesive decorative wall covering with wood-grain pattern
Product Size	1200 x 3000 mm
Installation Method	Apply to a clean, dry and flat wall; align grain direction and edges
Product Features	Wood-grain appearance; Peel-and-stick application; Interior renovation use

MODEL
SZ-DW020

METALLIC WALL STICKER



PRODUCT PARAMETERS

PRODUCT DATA

Product Material	Self-adhesive decorative wall covering with metallic-effect surface
Product Size	1200 x 3000 mm
Installation Method	Apply to a clean, dry and flat wall; confirm seams and edge treatment
Product Features	Metallic-effect finish; Decorative accent use; Sample-based specification

MODEL
SZ-DW021

BOHEMIAN PATTERN WALL STICKER



PRODUCT PARAMETERS	PRODUCT DATA
Product Material	Self-adhesive decorative wall covering with bohemian pattern
Product Size	1200 x 3000 mm
Installation Method	Apply to a clean, dry and flat wall; align pattern repeat and edges
Product Features	Bohemian pattern selection; Peel-and-stick application; Decorative feature-wall use

MODEL
SZ-DW022

GLASS MOSAIC



PRODUCT PARAMETERS	PRODUCT DATA
Product Material	Glass mosaic chips
Product Size	Varies by selected design/model
Installation Method	Install with compatible tile adhesive and grout on an approved substrate
Product Features	Decorative glass surface; Modular mosaic format; Color and pattern selection

MODEL
SZ-DW023

FLEXIBLE STONE VENEER



PRODUCT PARAMETERS	PRODUCT DATA
Product Material	Mineral-based flexible decorative facing
Product Size	Varies by selected design/model
Installation Method	Bond with the approved adhesive; confirm substrate, joints and protective finish
Product Features	Lightweight and flexible for curved surfaces; natural stone texture; fire, water and moisture performance subject to selected-model and complete-system test reports

MODEL
SZ-DW024

PU STONE WALL PANEL



PRODUCT PARAMETERS	PRODUCT DATA
Product Material	Molded polyurethane decorative stone panel
Product Size	Varies by selected design/model
Installation Method	Adhesive and mechanical fixing as required; confirm joint treatment
Product Features	Dimensional stone appearance; Modular panel format; Texture and color selection

02

CEILING SYSTEM SOLUTIONS



CEILING SYSTEM SOLUTIONS

ENGINEERED CEILING SYSTEMS
FOR COMMERCIAL INTERIORS

— ALUMINUM CLIP-IN
CEILING PANELS

— ALUMINUM
HONEYCOMB PANELS




NEXT PRODUCT

ALUMINUM CLIP-IN CEILING PANEL

SZ-CL001

MODEL
SZ-CL001

ALUMINUM CLIP-IN CEILING PANEL



PRODUCT PARAMETERS	PRODUCT DATA
Product Material	Aluminum clip-in ceiling panel
Product Size	300 mm (W) x 2440/2800/2900 mm (L)
Installation Method	Clip into the approved carrier grid with coordinated edge trims and hangers
Product Features	Clip-in modular format; Coating and perforation options; Coordinated carrier system

MODEL
SZ-CL002

ALUMINUM HONEYCOMB PANEL



PRODUCT PARAMETERS	PRODUCT DATA
Product Material	Aluminum face sheets with aluminum honeycomb core
Product Size	1220 x 2440 mm; 1220 x 3020 mm
Installation Method	Mechanically fix to the approved subframe using the project-specific edge and joint system
Product Features	Aluminum honeycomb core; Lightweight rigid construction; Project-size coordination

03

FLOORING SOLUTIONS



FLOORING SOLUTIONS

EFFICIENT SURFACE RENEWAL
FOR INTERIOR FLOORS

— SELF-ADHESIVE FLOOR COVERINGS

NEXT PRODUCT

→ **SELF-ADHESIVE FLOOR COVERING**

SZ-FL001

MODEL
SZ-FL001

SELF-ADHESIVE FLOOR COVERING



PRODUCT PARAMETERS	PRODUCT DATA
Product Material	Self-adhesive decorative floor covering
Product Size	Varies by selected design/model
Installation Method	Apply to a clean, dry, flat and approved floor substrate
Product Features	Peel-and-stick installation; Pattern selection; Surface-renovation format

START YOUR NEXT PROJECT

Three details are enough to start a fast project conversation.

01

SELECT

Product model and preferred finish

02

SHARE

Quantity, project area and destination

03

RECEIVE

Sample plan, specification and quotation support

DIRECT CONTACT

Hemy | WhatsApp: 0086-13395797077

Email: W13757025429@outlook.com

Office: ED1-20211, East 4th Street, District 2,

Yiwu International Trade City, Yiwu, Zhejiang, China

SCAN TO CONNECT ON WHATSAPP

Hemy

WhatsApp Business 业务账户

